

YPHP 803, Community, 9 Quarter Hours

2020-21


COURSE DESCRIPTION

APPEs take place during the last academic year and after all pre-advanced pharmacy practice experience requirements are completed. APPEs are designed to integrate, apply, reinforce, and advance the knowledge, skills, attitudes, and values developed through the other components of the curriculum. APPEs fulfill at least 1440 hours of the curriculum. All students are required to complete six APPEs: four required APPEs, and two elective APPEs.

Community Pharmacy practice is a required APPE. This course is structured to give students hands-on experience working in a **Community Pharmacy** setting. The **Community Pharmacy** APPE lasts 6 weeks, during which the students will engage in patient care, distributive functions, and administrative processes in community pharmacies and enhance their experience interacting directly with patients, preceptors, technicians, and other health care providers and pharmacy personnel.

Quarter Offered: Fall, Winter, Spring, and Summer

Figure 1. Experiential Education Structure

 ROSALIND FRANKLIN UNIVERSITY OF MEDICINE AND SCIENCES COLLEGE OF PHARMACY EXPERIENTIAL EDUCATION CURRICULUM AT A GLANCE			
IPPE Year			APPE Year
P1	P2	P3	P4
Community (105 hours) 13 X 8-hour visits 1 hour reflection Simulation (10 hours) C3 Activities*	Health-System (105 hours) 13 X 8-hour visits 1 hour reflection Simulation (10 hours) C3 Activities*	Elective (80 hours) 10 X 8-hour visits Service Learning (7 hours) IPPE-APPE Transition Workshop* Simulation* C3 Activities*	<u>Six 6-Week Rotations</u> (240 hours each) Community Health-System Inpatient/Acute Care Ambulatory Care Elective I Elective II Simulation* Return to Campus**
115 hours	115 hours	87 hours	
Total IPPE Hours = 317 hours			Total APPE Hours = 1440 hours
<small>IPPE = Introductory Pharmacy Practice APPE= Advanced Pharmacy Practice Experience</small>			
<small>*Hours dedicated to these items are not counted in experiential hour total. **Select return to campus dates</small>			
<small>updated 9/1/2017</small>			

Access to Course Material and Information

In addition to what will be provided during experiential class meetings, materials and information will be distributed using the University email system, E*Value, and Desire2Learn (D2L). These systems are *mandatory* communication modalities among faculty, preceptors, and students involved with this course.

Prerequisite(s):

Successful completion of the first three professional years and all Introductory Pharmacy Practice Experiences (IPPEs) is required before beginning the P4 year. Documented completion and compliance with the following is required before beginning a practice experience:

- a. Licensure
- b. Criminal Background Check
- c. Drug Screen
- d. Health Record-Immunizations (including annual TB and Influenza)
- e. Health Insurance Portability and Accountability Act (HIPAA) Training
- f. OSHA Blood borne Pathogens Training
- g. Basic Life Support (BLS) and Cardiopulmonary Resuscitation (CPR) Certification
- h. APhA Immunization Certification (Certificate of Completion)
- i. Other site-specific administrative requirements

For additional information, refer to the Experiential Education Manual.

*Some sites may have additional requirements for student pharmacists completing APPEs.

Instructional Methods and Learning Experiences:

Student pharmacists participating in the P4 APPE will be engaged in active learning through the use of practice-based activities in **Community** team-based projects, preceptor interaction, and simulation activities.

Course Director(s):

Faculty Name, Degree, and Title	Bradley Cannon, PharmD Director of Experiential Education	Lisa Michener, PharmD, MS, Associate Director of Experiential Education
Phone	847-578-3433	847-578-8762
Email	bradley.cannon@rosalindfranklin.edu	lisa.michener@rosalindfranklin.edu
Office location	IPEC 2.808	IPEC 2.816

Office Hours: By appointment

COURSE OBJECTIVES

Upon completion of this experiential course, the student pharmacists should have met the following performance domains and abilities:

Terminal Performance Outcomes

1. Learner—Develop, integrate, and apply knowledge from the foundational sciences to evaluate the scientific literature, explain drug action, solve therapeutic problems, and advance population and patient-centered care.
2. Patient-centered care—Provide patient-centered care as the medication expert
3. Medication use systems management—Manage patient healthcare needs using human, financial, technological, and physical resources to optimize the safety and efficacy of medication use
4. Health and wellness—Design prevention, intervention, and educational strategies for individuals and communities to manage chronic disease and improve health and wellness
5. Problem solving—Identify problems, explore and prioritize potential strategies, and design, implement, and evaluate viable solutions
6. Educator—Educate respective audiences by determining the most effective and enduring ways to impart information and assess understanding
7. Patient advocacy—Assure that patients' best interests are represented
8. Interprofessional collaboration—Actively participate and engage as a health care team member by demonstrating mutual respect, understanding, and values to meet patient care needs
9. Cultural sensitivity—Recognize social determinants of health to diminish disparities and inequities in access to quality care

10. Communication—Effectively communicate verbally and nonverbally when interacting with an individual, group, or organization
11. Self-awareness—Examine and reflect on personal knowledge, skills, abilities, beliefs, biases, motivation, and emotions that could enhance or limit personal and professional growth
12. Leadership—Demonstrate responsibility for creating and achieving shared goals, regardless of position
13. Innovation and entrepreneurship—Engage in innovative activities by using creative thinking to envision better ways of accomplishing professional goals
14. Professionalism—Exhibit behaviors and values that are consistent with the trust given to the profession by patients, other health care providers, and society
 1. Based on the Center for the Advancement of Pharmacy Education’s Educational Outcomes 2013 and the 2016 Accreditation Council for Pharmacy Education’s Accreditation Standards and Key Elements for the Professional Program in Pharmacy Leading to the Doctor of Pharmacy Degree (Guidance document, 1a.)

COURSE OBJECTIVES AND EXPECTATIONS¹

Upon completion of this advanced pharmacy practice experience in **Community Pharmacy** practice, the student pharmacist will be able to:

Learner
<ul style="list-style-type: none"> Summarizes key information, including brand and generic names, dosage forms, usual dosing ranges, and counseling points related to the use of common prescription and nonprescription medications Describes the mechanism of action of common medications Identifies appropriate sources of information and evaluate primary literature to synthesize answers when responding to drug information questions When responding to drug information requests from patients or health care providers, identifies appropriate sources of information and evaluate primary literature to synthesize answers Critically analyzes scientific literature and clinical practice guidelines related to medications and diseases to enhance clinical-decision making Performs accurate pharmaceutical calculations, including preparation of compounded medications, weight-based pediatric dosing, and dose adjustments based on body weight and renal function
Patient-Centered Care
<ul style="list-style-type: none"> Collects subjective and objective evidence related to patient, medications, allergies, adverse reactions, and diseases Collects patient histories in an organized fashion, appropriate to the situation and inclusive of cultural, social, educational, economic, and other patient- specific factors affecting self- care behaviors, medication use and adherence to determine the presence of a disease, medical condition, or medication-related problem(s)- Evaluates a patient’s medications and conditions to identify actual and potential medication-related problems Formulates evidence-based care plans, assessments, and recommendations based on subjective and objective data, the patient’s needs, and the patient’s goals Implements patient care plans and monitors response to therapy Reconciles a patient's medication record Refers patients to other healthcare providers when appropriate Documents all patient information accurately, legally, and succinctly in a manner that ensures continuity of care Accurately assesses and records a patient's blood pressure, pulse, respiratory rate, and other objective data as applicable
Medication Use Systems Management
<ul style="list-style-type: none"> Manages health care needs of patients during transitions of care Distributes medications in a safe, accurate, and timely manner Compounds drug products using accurate calculations, pharmaceutical components, and techniques Accurately evaluates, processes, labels, and dispenses medications and devices pursuant to a new prescription, prescription refill, or drug order in accordance with legal requirements Determines appropriate storage and beyond-use dating of compounded and reconstituted medications before and after dispensing Incorporates continuous quality improvement techniques when processing prescriptions for patients to reduce and prevent errors
Health and Wellness
<ul style="list-style-type: none"> Provides preventive health and wellness education (e.g. immunizations, tobacco cessation counseling, wellness screenings, risk assessments)
Problem Solving
<ul style="list-style-type: none"> Identifies and prioritizes a patient’s medication-related problems
Educator
<ul style="list-style-type: none"> Uses effective written, visual, verbal, and nonverbal communication skills to educate patients and/or caregivers on medication use, self-management, and preventive care Assesses the ability of patients and their agents to obtain, process, understand and use health- and medication-related information Uses appropriate methods of patient education to review indications, adverse effects, dosage, storage, and administration techniques

<ul style="list-style-type: none"> • Demonstrates and/or describes proper use of various drug delivery and monitoring systems (e.g., inhalers, eye drops, glucometers, injectables, etc.) • Uses effective written, visual, verbal, and nonverbal communication skills to accurately respond to drug information questions • Educates health care providers, pharmacy staff, and student pharmacists regarding a patient case or other pharmacy-specific information • Educates patients and providers on the mechanism of action, appropriate use, adverse effects, and benefits of medications and devices used to manage chronic conditions • Adjusts the amount and depth of information presented to patients based on their level of education, interest, emotional state, and ability to understand the information • Given a condition that can be treated with self-care interventions, recommends appropriate nonprescription and nondrug therapy
Patient Advocacy
<ul style="list-style-type: none"> • Assists patients in navigating the complex healthcare system • Encourages patients to set priorities and goals to better meet their health care needs • Assists a patient or caregiver with problems related to prescription medication coverage, health insurance, or government healthcare programs • Encourages patients to set priorities and goals to better meet their health care needs
Interprofessional Collaboration
<ul style="list-style-type: none"> • Engages as a member of a health care team by collaborating with and demonstrating respect for other areas of expertise
Cultural Sensitivity
<ul style="list-style-type: none"> • Incorporates patients' cultural beliefs and practices into health and wellness care plans
Communication
<ul style="list-style-type: none"> • Effectively communicates recommendations to other healthcare providers • Documents patient care activities clearly, concisely, and accurately using appropriate medical terminology • Foster sustainable relationships with patients and providers to ensure continuity of care
Self-Awareness
<ul style="list-style-type: none"> • See Professionalism Below
Leadership
<ul style="list-style-type: none"> • Fosters collaboration among the pharmacy and / or healthcare team to achieve a common goal
Innovation and Entrepreneurship
<ul style="list-style-type: none"> • Demonstrates creative decision-making when dealing with unique problems or challenges • Develops new ideas or strategies to improve patient care services • Describes how to manage workflow, scheduling, and billing
Professionalism
<p>Ethical, Professional, and Legal Behavior</p> <ul style="list-style-type: none"> • Demonstrates professional behavior in all practice activities • Maintains ethical behavior in all practice activities • Complies with all federal, state, and local laws related to pharmacy practice • Demonstrates a commitment to the advancement of pharmacy practice • <i>Appearance:</i> Displays appropriate appearance in terms of dress, grooming, and hygiene • <i>Punctuality:</i> Arrives on time, calls/notify preceptor in advance of planned absence or when unable to meet deadlines or arrive on time. • <i>Initiative:</i> Accepts accountability/responsibility (without reminders), sincere desire to learn, shows flexibility to help patients, applies knowledge to best of ability, seeks help when needed, works independently • Complies with the professionalism expectations of the Office of Experiential Education <p>Self Awareness</p> <ul style="list-style-type: none"> • Approaches tasks with a desire to learn • Displays positive self-esteem and confidence with interacting with others • Accepts constructive criticism and strives for excellence • Demonstrates the ability to be a self-directed, life-long learner <p>General Communication Abilities</p> <ul style="list-style-type: none"> • Shows empathy and sensitivity to the culture, race/ethnicity, age, socioeconomic status, gender, sexual orientation, spirituality, disease state, lifestyle, and mental/physical disabilities of others. • <i>Verbal:</i> Verbal communication is professional, confident, clear, not aggressive, and lacks distracters (e.g., um, uh, like, you know) • <i>Nonverbal:</i> Maintains appropriate eye contact and body language • <i>Written:</i> Written communication is clearly understood by others and does not contain significant spelling/grammatical errors • <i>Listening:</i> Demonstrates active listening, focuses on the patient/caregiver/health care provider, pays attention to nonverbal cues, responds empathetically • Verifies information is understood by patient/caregiver or healthcare provider • Demonstrates proficiency with the English language

1. Based on the Center for the Advancement of Pharmacy Education's Educational Outcomes 2013 and the 2016 Accreditation Council for Pharmacy Education's Accreditation Standards and Key Elements for the Professional Program in Pharmacy Leading to the Doctor of Pharmacy Degree (Guidance document, 1a.).

RECOMMENDED COURSE MATERIALS

1. Clinical Pharmacology [database online]. Available via RFUMS Boxer University Library Electronic Resources.
2. Malone PM, Kier KL, Stanovich JE, Malone MJ. eds. Drug Information: A Guide for Pharmacists 6e New York, NY: McGraw-Hill; 2018.
<http://accesspharmacy.mhmedical.com.ezproxy.rosalindfranklin.edu:2048/content.aspx?bookid=981§ionid=57697146>. Accessed April 29, 2019.
3. Ansel HC. *Pharmaceutical Calculations*. 15th ed. Philadelphia: Wolters Kluwer; 2017.
4. Berger BA. Communication Skills for Pharmacists: Building Relationships. 3rd ed. Washington, DC: American Pharmacists Association; 2009.
5. Reist JC, Development of the Formal Case Presentation. Active Learning Exercises. In the American Pharmacist Association Pharmacy Library. The University of Iowa College of Pharmacy, Department of Pharmacy Practice and Science, American Pharmacist's Association Washington DC © 2016
<https://pharmacylibrary-com.ezproxy.rosalindfranklin.edu/doi/full/10.21019/ALE.2000.93> April 29, 2019.
6. Reist JC, Development a Monitoring Plan. Active Learning Exercises. In the American Pharmacist Association Pharmacy Library. The University of Iowa College of Pharmacy, Department of Pharmacy Practice and Science, American Pharmacist's Association Washington DC © 2016.
<https://pharmacylibrary-com.ezproxy.rosalindfranklin.edu/doi/full/10.21019/ALE.2000.110> Accessed on April 29, 2019.
7. Reist JC, Medical Record Basics. Active Learning Exercises. In the American Pharmacist Association Pharmacy Library. The University of Iowa College of Pharmacy, Department of Pharmacy Practice and Science, American Pharmacist's Association Washington DC © 2016. <https://pharmacylibrary-com.ezproxy.rosalindfranklin.edu/doi/full/10.21019/ALE.2000.120> Accessed on April 29, 2019.
8. Sheehan AH, Jordan, JK. Drug Information: Formulating effective response and recommendations: A structured approach. A Guide for Pharmacists, In. Malone P, *Drug Information: A Guide for Pharmacists* 6e. New York, NY: McGraw-Hill; 2018. <https://accesspharmacy-mhmedical-com.ezproxy.rosalindfranklin.edu/content.aspx?bookid=2275§ionid=177197497> Accessed April 29, 2019
9. Take a Patient Medication History 3rd Ed. American Pharmacist's Association Washington DC © 2016. <https://pharmacylibrary-com.ezproxy.rosalindfranklin.edu/doi/abs/10.21019/ALE.2000.34> Accessed April 29, 2019.
10. Bennett MS, Kliethermes MA, How to Implement the Pharmacists' Patient care Process, In the American Pharmacist's Association Pharmacy Library Washington DC © 2016. <https://pharmacylibrary-com.ezproxy.rosalindfranklin.edu/doi/full/10.21019/9781582122564.ch3> Accessed April 29, 2019.
11. Fravel MA, Starry MJ, Reist JC. Multi-Focus SOAP Note Writing: Independent Video Activity – Hypertriglyceridemia and Gout Active Learning Exercises. In the American Pharmacist Association Pharmacy Library. The University of Iowa College of Pharmacy, Department of Pharmacy Practice and Science, American Pharmacist's Association Washington DC © 2018 <https://pharmacylibrary-com.ezproxy.rosalindfranklin.edu/doi/full/10.21019/ALE.2000.15> Accessed on April 29, 2019.
12. Angelo, LB, Cerulli , How to Conduct a Comprehensive Medication Review: A Guidebook for Pharmacists, In American Pharmacists Association, Washington DC © 2018 <https://doi-org.ezproxy.rosalindfranklin.edu/10.21019/9781582122168> Accessed on April 29, 2019.
13. Rosalind Franklin University of Medicine and Sciences (RFUMS) College of Pharmacy 2019 Electronic Resources Guide, Found in home page of E*value. Accessed April 29, 2019.

REQUIRED EQUIPMENT

Students must bring to the practice site the following items:

- White RFU-issued lab coat and nametag
- Blood pressure cuff and stethoscope if one is not provided at the clinic

METHODS OF EVALUATION

Assessment Policy

Upon completion of each APPE, students will receive a letter grade: A, B, C, F. In order to successfully complete the APPE professional year, students must receive a “C” or better in each of the six-week experiences. For non-longitudinal APPE’s, the final grade will be based on the preceptor’s evaluation and completion of any graded assignments during the rotation. For longitudinal APPE’s, the final grade will be based on the preceptor’s evaluation, completion of any graded assignments during the rotation, and an end of block assessment that is administered at the college when applicable. The course director in the OEE assigns final grades.

Assessments

A variety of assessments are used in this course. These serve to provide feedback to the students, preceptors, and course director regarding student progress and course activities.

Midpoint Evaluation

The midpoint evaluation includes the preceptor’s evaluation of the student, the student’s self-evaluation, and the student’s evaluation of the rotation. It is expected that the preceptor and student will meet to discuss these evaluations and address areas for improvement during the remainder of the course. The midpoint evaluation is documented on paper and not in the E*value system.

Final Evaluation

The final evaluation includes the preceptor’s evaluation of the student, the student’s self-evaluation, and the student’s evaluation of the preceptor and site. The preceptor and student should also meet to discuss these evaluations.

The preceptor’s final evaluation of the student as well as professionalism points will factor into the student’s final grade as noted in the grading policy in the Experiential Education Manual.

To protect student confidentiality, once a preceptor has precepted at least three students, the students’ preceptor evaluations will be compiled and reported back to the preceptor in aggregate. Sample evaluation forms are located on in E*Value.

Required Return to Campus Visits

Students will be required to return to campus on the last day of each block during the APPE year regardless if they are scheduled in an OFF block in order to meet the requirements of YPHP 800 Practical Approaches to Professional Development. Please refer to the YPHP 800 syllabus for full details.

Grading Rubric

Refer to the respective course syllabi for specific learning objectives and assignments required of each experience. The rating scale used on the evaluation form consists of:

- No opportunity for activity – not factored into point calculation
- Exceeds competency – 4 points
- Meets competency – 3 points
- Does Not Meet– 2 point

4 Exceeds Competency	3 Meets Competency	2 Does Not Meet Competency	N/A (Not Applicable)
Student performs above the minimum competency for a typical P4 student at this point in time; requires minimal guidance or coaching	Student performs at a level that would be expected for a minimally competent P4 student at this point in time; requires some guidance and coaching	Student is unable to perform independently; requires constant guidance and coaching	Activity did not occur or there was no opportunity to assess the activity

The rotation evaluation includes 5 sections, which are weighted.

Refer to the respective syllabi for the specific weighting scheme as they may differ.

- Section I. Professionalism and Communication Expectations*
- Section II. Knowledge
- Section III. Patient Care
- Section IV. Collaboration and Leadership
- Section V. Projects and Activities

*A rating of “Does Not Meet” in Professionalism & Communications Section will result in a failing grade for the rotation. Allocation of a letter grade will be based on the weighted averages and calculations for each section according to the following (weighted averages vary by rotation):

Final Rotation Grade			
Section I average =	X [weight for rotation**]=20%	X 100 =	Section total
Section II average =	X [weight for rotation**]=20%	X 100 =	Section total
Section III average =	X [weight for rotation**]=20%	X 100 =	Section total
Section IV average =	X [weight for rotation**]=20%	X 100 =	Section total
Section V average =	X [weight for rotation**]=20%	X 100 =	Section total
Section Totals Added Up			Evaluation Point Total out of Total Possible Points
A 90-100%*	B 80-89.9%*	C 70-79.9%*	F 0-69.9%*
*The total points possible are adjusted automatically for sections rated as N/A.			
**Weights may vary slightly depending on rotation. See specific APPE course syllabus			

APPE Course Failures

If a student fails an experiential rotation, the following will occur:

The student will be notified of their failure by the course director. A copy of the student’s final evaluation detailing the student’s deficiencies will be forwarded to the Chair of Pharmacy Practice and the Chair of the Student and Chair of the Student Promotions, Evaluation and Awards Committee (SPEAC).

Documentation on Transcript

A student who fails an APPE will be required to repeat the block. The grade achieved in the subsequent APPE block will be entered in the students’ transcript; however, the original ‘F’ will remain on the transcript.

Repeat Failures

A student with a repeat failure of the same APPE, or who fails two APPE’s, will be considered for dismissal.

A student who fails two APPEs will have an altered schedule and will be required to pass a competency assessment prior to returning to the APPE program.

P4 Simulation

The P4 simulations are temporarily on hold for the 2020-21 academic year due to the COVID-19 pandemic and planned to resume in the 2021-22 academic year.

COURSE GRADE APPEAL

Please refer to the Student Progression, Evaluation and Awards Committee (SPEAC) guidelines regarding the course grade appeal process.

COURSE FEEDBACK

Students will have the opportunity to provide the course director(s) and other faculty/instructor(s) with feedback in several ways:

- Periodic reflective comments
- Scheduled appointment with the course director(s)
- Formal course evaluation process

ATTENDANCE POLICY

1. Successful completion of the APPE requires a minimum of 240 hours. Any hours missed must be made up.
 2. Hours are to be completed on-site, unless alternative arrangements are made with the preceptor
 3. Please refer to the Experiential Attendance Policy in the Experiential Manual for full description and details.
- For additional information refer to the Experiential Education Manual Attendance Policy.

PARTICIPATION AND PROFESSIONALISM

Participation

It is expected that students will engage in each experience by:

- Demonstrating active listening skills (i.e., making eye contact, asking appropriate questions, giving their undivided attention, responding to questions when appropriate.)
- Actively participating in discussions and group activities (i.e., verbally sharing thoughts, opinions, and ideas and functioning as an effective and equally contributory team member.)

These aspects will be observed and assessed by the course director(s) and faculty on an ongoing basis. Periodic feedback will be given to students when necessary.

Professionalism

Students are expected to perform and behave as professionals. They will demonstrate respect for the preceptor(s), other faculty, their peers, and themselves. Students will participate in all course activities with purpose and a positive attitude.

Professionalism & Communication Expectations

To behave professionally, the student must:

- Demonstrate knowledge of and sensitivity towards the unique characteristics of each patient.
- Comply with all federal, state, and local laws related to pharmacy practice.
- Demonstrate ethical and professional behavior in all practice activities.
- Maintain ethical behavior by being honest, ensuring patient confidentiality, responding to and preventing errors in patient care and avoiding professional misconduct (including plagiarism).
- Make and defend rational and ethical decisions within the context of personal and professional values.
- Maintain a clean, orderly, and safe workspace.
- Display appropriate dress, grooming, and hygiene that is professional in appearance (e.g., defined by site policy and/or procedures, preceptor, instructor and/or professional etiquette or culture).
- Complete assignments on time.
- Arrive on time and avoids absences when possible.
- Call and notify preceptor in advance of any planned absences or when unable to meet a deadline or arrive on time.
- Prepare for assigned activities as designated (e.g., workbook, homework etc.)
- Complete designated activities during allotted rotation hours or class time.
- Accept accountability and responsibility for patient care without repeated reminders.
- Show a sincere desire to learn.
- Demonstrate willingness and flexibility to contribute to the well-being of others.
- Apply knowledge, experience, and skills to the best of his/her ability.
- Seek help from the preceptor or instructor when necessary.
- Never be hesitant to admit that he/she does not know something, but should seek help and ask questions

whenever necessary.

- Not make decisions without the knowledge of the preceptor, particularly in regard to prescription dispensing.

To communicate effectively, the student must:

- Demonstrate effective communication abilities in interactions with patients, their families and caregivers, and other health care providers.
- Communicate clearly, respectfully, and effectively through active listening using appropriate verbal, non-verbal, and written communication skills at a level appropriate for caregivers, health care providers, and the general public.
- Introduce self at first encounter and make appropriate eye contact.
- Greet patients and/or other health care professionals with a smile and/or positive inflection in voice (e.g., not condescending or sarcastic).
- Demonstrate appropriate self-awareness, assertiveness and confidence (e.g., not meek or overly assertive, even under stress).
- Work as an active team member with patients, peers, and other health care professionals (e.g., contributes relevant information).
- Accept and use constructive feedback to improve performance.
- Not publicly question the advice or directions given by the preceptor or staff, but is encouraged to discuss issues or ask questions in private.

Per the OEE Professionalism Policy, professionalism infractions may negatively impact the APPE grade or result in a request to appear before the Student Promotion, Evaluation, and Awards Committee (SPEAC). Once the APPE rotations have been assigned to students, their professionalism points will be reset to 100. Unless the infraction is related to a specific rotation, an infraction prior to the start of rotations or during an off block may result in the student appearing before the SPEAC. Infractions related to, or that occur during, a specific rotation will be counted toward the grade for that rotation. The nature of the consequence for failing to comply with the professionalism expectations during the P4 year will be at the discretion of the course director. However, as a general rule, a loss of 15 points during a block will result in a grade reduction and/or request to appear before the SPEAC. A loss of professionalism points in more than one block may result in a request to appear before the SPEAC. Professionalism points may be deducted by either the course director or preceptor, depending on the type of infraction.

Unprofessional Behavior

Inappropriate or unprofessional comments, remarks, and attitudes will result in dismissal from class. Disruptive activity during class will not be tolerated.

Academic Integrity

This course will adhere to the Rosalind Franklin University of Medicine and Science *Standards of Student Conduct*, which can be found in the Rosalind Franklin University of Medicine and Science Student Handbook. Please refer to this document for policies on cheating, plagiarism, academic dishonesty, abuse of academic materials, stealing, and lying.

ACCOMMODATIONS FOR DISABILITIES

Rosalind Franklin University of Medicine and Science is committed to providing equal access to learning opportunities for students with documented disabilities. To ensure access to this class and your program, please contact the ADA Coordinator at 847.578.8354 or ada.coordinator@rosalindfranklin.edu to engage in a confidential conversation about the process for requesting accommodations in the classroom and clinical settings.

Accommodations are not provided retroactively. Students are encouraged to register with the ADA Coordinator as soon as they begin their program. Rosalind Franklin University of Medicine and Science encourages students to access all resources available. More information can be found on the Academic Support InSite page or by contacting the ADA Coordinator.

YPHP 803 – COMMUNITY PHARMACY PRACTICE ABILITIES CHECKLIST

Listed below are required and optional activities.

- This form is now part of the FINAL Evaluation in E*value.
- Students must complete all required activities listed and any optional activities by checking the appropriate boxes.
- All activities performed must comply with site-specific policies and procedures.
- **Assessment forms** and assignment instructions are in the syllabus pages that follow.
- If the activity is **required** for a grade, it is also indicated below.



Assessment Form Syllabus Page	Required Activities	Required for Grade	Complete	Incomplete
11-12	Discuss midpoint and final evaluations with preceptor	YES	<input type="checkbox"/>	<input type="checkbox"/>
13-14	Nonprescription product monograph – Complete ONE nonprescription monograph	YES	<input type="checkbox"/>	<input type="checkbox"/>
15-16	Drug Information Provide a written response to a drug information	YES	<input type="checkbox"/>	<input type="checkbox"/>
17-18	Discuss the Core Entrustable Activities in the experience	YES	<input type="checkbox"/>	<input type="checkbox"/>
19-22	Complete the Patient and Medication Safety Assessment Tool for Community Pharmacies and provide suggestions for improvement		<input type="checkbox"/>	<input type="checkbox"/>
23-25	Complete the Checklist for Safe Vaccine Storage and Handling		<input type="checkbox"/>	<input type="checkbox"/>
26	Counsel a patient regarding all of the following: <ul style="list-style-type: none"> <input type="checkbox"/> Use of a prescription pain medication <input type="checkbox"/> Use of an antibiotic <input type="checkbox"/> Use of a blood pressure medication <input type="checkbox"/> Lifestyle education to a patient with diabetes <input type="checkbox"/> Lifestyle education to a patient with high cholesterol <input type="checkbox"/> Nonprescription medication for cough, cold or allergy <input type="checkbox"/> Topical nonprescription medication use <input type="checkbox"/> How to administer eye drops <input type="checkbox"/> How to use an inhaler <input type="checkbox"/> How to use a glucometer 		<input type="checkbox"/>	<input type="checkbox"/>
27	Take a patient's blood pressure using a manual cuff, sphygmomanometer, record and explain results to a patient		<input type="checkbox"/>	<input type="checkbox"/>
28	Interview a patient (or review a patient profile if MTM services are not provided). Identify at least one medication-related problem. Complete the SOAP Note Form to document the assessment and plan. Follow up with the patient and/or provider to address the problem.		<input type="checkbox"/>	<input type="checkbox"/>
	When a critical drug interaction alert occurs, consult the literature to research the interaction and provide an appropriate recommendation		<input type="checkbox"/>	<input type="checkbox"/>
	Interact with a prescriber to clarify a prescription/medication order		<input type="checkbox"/>	<input type="checkbox"/>
	Administer a vaccine to a patient		<input type="checkbox"/>	<input type="checkbox"/>
	When an error or mistake occurs during the prescription filling process, develop a plan to prevent the error in the future		<input type="checkbox"/>	<input type="checkbox"/>
	Compound a non-sterile, extemporaneously prepared medication		<input type="checkbox"/>	<input type="checkbox"/>
	Optional Activities			
29	Present a new drug update		<input type="checkbox"/>	<input type="checkbox"/>
30	Primary Literature Review: Lead a journal or literature review for discussion		<input type="checkbox"/>	<input type="checkbox"/>
31	Presentation: Present a patient case to a pharmacist (Informal)		<input type="checkbox"/>	<input type="checkbox"/>
32	Participate in a health fair or screening event.		<input type="checkbox"/>	<input type="checkbox"/>

Student name: _____ Signature: _____

Preceptor name: _____ Signature: _____

Midpoint Preceptor Assessment Form

Preceptors should use this form to provide formative feedback to the student.

Student Pharmacist Name: _____ Date: _____

Evaluator Name: _____

1. What objectives, if any, remain to be met?

2. Based on the objectives and rotation requirements, what skills or competencies could be improved?

3. How will such improvements be made during the remainder of the rotation block?

1. Based on the objectives and rotation requirements, in what areas is the student doing well or exceeding expectations?

2. Rate the student's overall ability at the midpoint. **If you rate the student "Does Not Meet" - please contact the Office of Experiential Education immediately to discuss further action: 847-578-8782.**

<input type="checkbox"/> Exceeds Expectations <u>90-100%</u>	<input type="checkbox"/> Meets Expectations <u>70-89%</u>	<input type="checkbox"/> Does not Meet Expectations Less than 70%
---	--	--

Student Pharmacist Signature _____

Preceptor Signature _____

Nonprescription Product Monograph

Step 1: Select ONE disorder or disease state that is commonly treated with nonprescription products. Examples include, but are not limited to the following:

Abrasions	Colds (viral upper respiratory infection)	Gastritis	Ostomy care
Aches and pains (general, mild to moderate)	Congestion (chest, nasal)	Gingivitis	Ovulation prediction
Acidity	Constipation	Hair loss	Periodontal disease
Acne	Contact lens care	Halitosis	Pharyngitis
Albumin testing	Contraception	Hangover morning relief	Pinworm infestation
Allergic reactions	Corns	Head lice	Premenstrual syndrome
Allergic rhinitis	Cough	Headache	Pregnancy (diagnostic)
Anemia	Cuts (superficial)	Heartburn	Prickly heat
Arthralgia	Dandruff	Hemorrhoids	Psoriasis
Asthma	Deficiency disorders	Herpes	Ringworm
Athlete's foot	Dental care	Impetigo	Seborrhea
Bacterial infection	Dermatitis (contact)	Indigestion	Sinusitis
Blisters	Diabetes mellitus (insulin, monitoring equipment, supplies)	Ingrown toenails	Smoking cessation
Blood pressure monitoring	Diaper rash	Insect bites and stings	Sprains
Boils	Diarrhea	Insomnia	Strains
Bowel preparation (diagnostic)	Dry skin	Jet lag	Stye (hordeolum)
Burns (minor, thermal)	Dysmenorrhea	Jock itch	Sunburn
Calluses	Dyspepsia	Migraine	Teething
Candidal vaginitis	Dyslipidemia	Motion sickness	Thrush
Canker sores	Feminine hygiene	Myalgia	Toothache
Carbuncles	Fever	Nausea	Vomiting
Chapped skin	Flatulence	Nutrition (infant)	Warts (common and plantar)
Cold sores		Obesity	Xerostomia
		Occult blood in feces (detection)	Wound care

Table 1.1 from: Handbook of Nonprescription Drugs, 16th edition.

Step 2: Define the symptoms that a patient would commonly have for the disease states selected. The symptom(s) listed for each disease state need to be specific enough so that only one product would be appropriate for the patient.

Step 3: Develop a concise treatment guide or monograph for each disease state selected. The guide should either be limited to one page or designed to be carried in the pocket of your laboratory coat for convenience and ease of use when approached with questions. A goal should be to develop one guide or monograph each week of the rotation.

The information contained in each treatment guide should include:

- | | |
|---|--|
| <ul style="list-style-type: none"> Disorder and/or symptoms Therapeutic class or product category Brand/generic names Dosage forms and strengths Dosing recommendations for: <ul style="list-style-type: none"> Adults Pediatrics Pregnancy/breastfeeding Senior patients Other special populations, if applicable | <ul style="list-style-type: none"> Contraindications/precautions Drug interactions Adverse effects Cost per day Rationale for product selection Patient education points |
|---|--|

Step 4: If the product you selected would not be appropriate for certain patients or comorbid conditions an alternative product should be noted.

Step 5: When addressing the cost per day, note the availability of generic formulations when applicable. Each guide will be worth 20 points, for a total of 120 points.

Nonprescription Medication Consultation Documentation Form

Student Pharmacist Name: _____ Date: _____

Evaluator Name: _____

Evaluator Role: Role: ☐ Preceptor ☐ Faculty ☐ Student ☐ Resident

"Who will be using the product?" ☐ Individual ☐ Child ☐ Other _____

PATIENT INFORMATION

Gender: ☐ M ☐ F Age: _____ Pregnant ☐ Y ☐ N Breastfeeding ☐ Y ☐ N

CONDITION: "What are you treating?"

- | | | | | |
|--|--|---|---------------------------------------|---|
| <input type="checkbox"/> Acne | <input type="checkbox"/> Constipation | <input type="checkbox"/> Eye Condition* | <input type="checkbox"/> Insect bite | <input type="checkbox"/> Nutritional need |
| <input type="checkbox"/> Allergy* | <input type="checkbox"/> Cough | <input type="checkbox"/> Fever | <input type="checkbox"/> Insomnia | <input type="checkbox"/> Pain* |
| <input type="checkbox"/> Arthritis | <input type="checkbox"/> Dental Problem* | <input type="checkbox"/> Fungal infection | <input type="checkbox"/> Myalgia | <input type="checkbox"/> Preventative care* |
| <input type="checkbox"/> Bacterial infection | <input type="checkbox"/> Dermatitis* | <input type="checkbox"/> Headache | <input type="checkbox"/> Nausea | <input type="checkbox"/> Sunburn |
| <input type="checkbox"/> Congestion | <input type="checkbox"/> Diarrhea | <input type="checkbox"/> Heartburn/GERD | <input type="checkbox"/> Nicotine use | <input type="checkbox"/> Wound |
| <input type="checkbox"/> Other _____ | | | | |

*Additional information _____

PMH: "What chronic medical conditions do you have?"

- | | | | | |
|--|---|---|---|--|
| <input type="checkbox"/> Alcoholism | <input type="checkbox"/> Cancer | <input type="checkbox"/> Diabetes | <input type="checkbox"/> High cholesterol | <input type="checkbox"/> Osteoporosis |
| <input type="checkbox"/> Angina | <input type="checkbox"/> Chronic headache | <input type="checkbox"/> Glaucoma | <input type="checkbox"/> Hypertension | <input type="checkbox"/> Prostate disorder |
| <input type="checkbox"/> Arthritis | <input type="checkbox"/> Chronic pain | <input type="checkbox"/> Heart disease | <input type="checkbox"/> Kidney disease | <input type="checkbox"/> Seizure disorder |
| <input type="checkbox"/> Asthma | <input type="checkbox"/> COPD | <input type="checkbox"/> Heart failure | <input type="checkbox"/> Liver disease | <input type="checkbox"/> Sleep disorder |
| <input type="checkbox"/> Bleeding disorder | <input type="checkbox"/> Depression | <input type="checkbox"/> Heartburn/GERD | <input type="checkbox"/> Obesity | <input type="checkbox"/> Thyroid disorder |
| <input type="checkbox"/> Other _____ | | | | |

"What medications are you taking?"

Symptom Analysis: (Precipitating, Quality, Relief, Site/Severity, Temporal factors, Associated symptoms)

P: What caused the condition? _____

Q: Describe the condition? _____

R: What has provided relief? _____

S: Where is the problem? How severe is it? _____

T: When did the problem begin? How often does it occur? _____

A: What other symptoms exist? _____

Outcome

- ☐ No pharmacologic treatment necessary
☐ Encouraged patient to seek physician consultation
☐ Made a recommendation ☐ Original product sought ☐ Alternative product
 Explain (name of product, dose, instructions, warnings, Nonpharmacologic therapy):

Follow-up: Contact date: _____ Contact information: _____

Notes: _____

Adapted from the OTC Intervention Form developed by Maria Sulli, PharmD(St. John's University College of Pharmacy and Allied Health Professions).

☐ Exceeds
Expectations

☐ Meets
Expectations

☐ Does not Meet
Expectations

Drug Information Request Documentation Form

Drug Information Request Form			
Requester Information			
Name:		Email:	
Date Received:		Time Received: AM/PM	
Internal: <input type="checkbox"/> MD/DO <input type="checkbox"/> DDS <input type="checkbox"/> RN <input type="checkbox"/> Pharmacist <input type="checkbox"/> PA/NP <input type="checkbox"/> Other:	External: <input type="checkbox"/> MD/DO <input type="checkbox"/> DDS <input type="checkbox"/> RN <input type="checkbox"/> Pharmacist <input type="checkbox"/> PA/NP <input type="checkbox"/> Other: <input type="checkbox"/> General public:	How Received: <input type="checkbox"/> Phone <input type="checkbox"/> Voice Mail <input type="checkbox"/> Email <input type="checkbox"/> In person <input type="checkbox"/> Referred by:	Priority: <input type="checkbox"/> Urgent <input type="checkbox"/> High priority <input type="checkbox"/> Routine <input type="checkbox"/> Low priority
Original Question/Request			
Classification of Request <div> <input type="checkbox"/> Administration (route/methods) <input type="checkbox"/> Adverse effects/intolerances <input type="checkbox"/> Allergy/cross reactivity <input type="checkbox"/> Alternative medicine <input type="checkbox"/> Biotechnology/gene therapy <input type="checkbox"/> Clinical nutrition/ metabolic support <input type="checkbox"/> Compatibility/storage/ stability <input type="checkbox"/> Contraindications/ precautions <input type="checkbox"/> Cost/ pharmacoeconomics <input type="checkbox"/> Dosing <input type="checkbox"/> Drug delivery/devices <input type="checkbox"/> Drug interactions <input type="checkbox"/> Drug of choice/therapeutic alternatives/ therapeutic use </div> <div> <input type="checkbox"/> Drug standards/legal/ regulatory <input type="checkbox"/> Drug use in special populations <input type="checkbox"/> Pharmacokinetics <input type="checkbox"/> Pharmacology <input type="checkbox"/> Pharmacodynamics <input type="checkbox"/> Excipients/compounding/ formulations <input type="checkbox"/> Investigational products <input type="checkbox"/> Lab test interferences <input type="checkbox"/> Monitoring parameters <input type="checkbox"/> Lab test interferences <input type="checkbox"/> Monitoring parameters <input type="checkbox"/> Nonprescription products <input type="checkbox"/> Patient education </div> <div> <input type="checkbox"/> Pharmacokinetics <input type="checkbox"/> Physiochemical properties <input type="checkbox"/> Poisoning/toxicology <input type="checkbox"/> Pregnancy/lactation/ teratogenicity/fertility <input type="checkbox"/> Product availability/status <input type="checkbox"/> Product identification <input type="checkbox"/> Product information <input type="checkbox"/> Study design/protocol development <input type="checkbox"/> Other: </div>			
Response (referenced)			
References (numbered)			
Tracking/Follow-Up <div> Request Received By: Response Formulated By: Time Required to Answer: </div> <div> <input type="checkbox"/> Literature Provided <input type="checkbox"/> Verbal Response <input type="checkbox"/> Written Response </div>			
Outcome/Follow Up			

Drug Information Request Evaluation Form

Drug Information Request Form			
Preceptor Assessment of Drug Information Request:			
Student Name _____		Evaluator Name _____	
Requestor	Yes	No	Comments
Did the student obtain complete demographic information for the person asking the question?	1	0	
Background information:			
Thorough	1	0	
Appropriate to the request	1	0	
Search Strategy References			
Appropriate references used	1	0	
Search was sufficiently comprehensive	1	0	
Is search strategy clearly documented	1	0	
Response was			
Appropriate for situation	1	0	
Sufficient to answer the question	1	0	
Provided in a timely manner	1	0	
Integrated with available patient data	1	0	
Supported by appropriate materials	1	0	
If complete response could not be provided within timeframe requested, was the requestor advised as to the status of the request and the anticipated delivery of the final response?	1	0	
Final GRADE	/12	Overall Comments	

Adapted from: Malone PM, Kier KL, Stanovich JE, Malone MJ. Appendix 14–4 Evaluation Form for Drug Information Response. In: Malone PM, Kier KL, Stanovich JE, Malone MJ. eds. *Drug Information: A Guide for Pharmacists 5e*. New York: McGraw-Hill; 2010.

☐ Exceeds
90-100%
10-12 points

☐ Meets
70-89%
8-9 points

☐ Does not Meet
Less than 70%
Less than 8 points

Pharmacists' Patient Care Process (PCPP) and Core Entrustable Professional Activities (EPA) Exercise




Figure 1: Pharmacists' patient care process

Pharmacists' Patient Care Process

Pharmacists use a patient-centered approach in collaboration with other providers on the health care team to optimize patient health and medication outcomes.

Using principles of evidence-based practice, pharmacists:

Collect

The pharmacist assures the collection of the necessary subjective and objective information about the patient in order to understand the relevant medical/ medication history and clinical status of the patient.

Assess

The pharmacist assesses the information collected and analyzes the clinical effects of the patient's therapy in the context of the patient's overall health goals in order to identify and prioritize problems and achieve optimal care.

Plan

The pharmacist develops an individualized patient-centered care plan, in collaboration with other health care professionals and the patient or caregiver that is evidence-based and cost-effective.

Implement

The pharmacist implements the care plan in collaboration with other health care professionals and the patient or caregiver.

Follow-up: Monitor and Evaluate

The pharmacist monitors and evaluates the effectiveness of the care plan and modifies the plan in collaboration with other health care professionals and the patient or caregiver as needed.

Patient-Centered Care

ACTIVITY: For each of the following domains, complete if you *performed* or *observed* & how well it was performed.

DOMAIN		Example Supporting Task	Performed	Observed	How well was this skill performed?			
					BELOW AVERAGE	AVERAGE	ABOVE AVERAGE	MASTERY LEVEL
COLLECT	Collect information to identify a patient's medication-related problems and health-related needs.	•Collect a medical history from a patient or caregiver.						
		•Collect a medication history from a patient or caregiver.						
		•Discuss a patient's experience with medication.						
		•Determine a patient's medication adherence.						
		•Use health records to determine a patient's health-related needs relevant to setting of care and the purpose of the encounter.						
ASSESS	Assess/analyze information to determine the effects of medication therapy, identify medication-related problems, and prioritize health-related needs.	•Assess a patient's signs and symptoms to determine whether the patient can be treated within the scope of practice or requires a referral.						
		•Measure an adult patient's vital signs and interpret the results (e.g., body temperature, pulse rate, respiration rate, and blood pressure).						
		•Interpret laboratory test results.						
		•Identify drug interactions.						
		•Perform a comprehensive medication review for a patient.						
		•Assess a patient's health literacy using a validated screening tool.						
		•Compile a prioritized health-related problem list for a patient.						
		•Evaluate an existing drug therapy regimen.						
PLAN	Establish patient-centered goals and create a care plan for a patient in collaboration with the patient, caregiver(s), and other health professionals that is evidence-based and cost-effective.	•Follow an evidence-based disease management protocol.						
		•Develop a treatment plan with a patient.						
		•Manage drug interactions.						
		•Select monitoring parameters to determine the therapeutic and adverse effects related to the treatment plan.						
		•Determine the appropriate time interval(s) to collect monitoring data.						
		•Create a patient-specific education plan.						
IMPLEMENT	Implement a care plan in collaboration with the patient, caregivers, and other health professionals.	•Write a note that documents the findings, recommendations, and plan from a patient encounter.						
		•Educate a patient regarding the appropriate use of a new medication, device to administer a medication, or self-monitoring test.						
		•Educate a patient on the use of medication adherence aids.						
		•Assist a patient with a behavior change (e.g., use shared decision making and motivational strategies).						
FOLLOW-UP MONITOR & EVALUATE	Follow-up and monitor a care plan	•Collect monitoring data at the appropriate time interval(s).						
		•Evaluate the selected monitoring parameters to determine the therapeutic and adverse effects related to the treatment plan.						
		•Recommend modifications or adjustments to an existing medication therapy regimen based on a patient's response.						
		•Present a patient case to a colleague during a handoff or transition of care.						

•Adapted from: Pharmacists/ Patient Care Process. May 29, 2014 Joint Commission of Pharmacy Practitioners <https://jcpp.net/wp-content/uploads/2016/03/PatientCareProcess-with-supporting-organizations.pdf> Accessed April 2020.

•Adapted from: Core Entrustable Professional Activities for New Pharmacy Graduates <https://www.aacp.org/sites/default/files/2017-10/Appendix1CoreEntrustableProfessionalActivities> Accessed April 2020.

Patient and Medication Safety Assessment Tool for Community Pharmacies**Required Activity: Patient and Medication Safety Assessment Tool for Community Pharmacies**

Date(s) of assessment: _____

Indicate the number of individuals who participated in this assessment:

Staff pharmacist _____
 Pharmacy manager/owner _____
 Pharmacy technician _____
 Student pharmacist _____
 Other (_____) _____

Check the category that best describes this pharmacy:

- ☐ Independent pharmacy (1 – 3 pharmacies)
☐ Chain pharmacy (4 or more pharmacies)
☐ Grocery chain pharmacy
☐ Mass merchandiser
☐ Hospital outpatient pharmacy
☐ Other _____

Approximately how many prescriptions are dispensed per week?

- ☐ Less than 500
☐ 501 – 800
☐ 801 – 1000
☐ 1000 – 1500
☐ 1501 – 2000
☐ Greater than 2000

Indicate the number of FTEs (full-time equivalent) employed at this pharmacy for each personnel category:

Staff pharmacist _____
 Pharmacy manager/owner _____
 Pharmacy technician _____
 Student pharmacist _____
 Other (_____) _____

Check the category that best describes the location of this pharmacy:

- ☐ Urban
☐ Rural

^a Adapted from the Institute of Safe Medication Practices (ISMP) Medication Safety Self Assessment for Community/Ambulatory Pharmacy. Available at: <http://www.ismp.org/selfassessments/Book.pdf>

For each element listed, select the most appropriate description to identify the degree to which the activity has been implemented and incorporated into pharmacy operations.

N/A = not applicable;

NI = not implemented or seldom occurs;

PI = partially implemented or occurs some of the time;

FI = fully implemented or occurs all of the time

Prescription Processing	N/A	NI	PI	FI
Prescription orders cannot be entered into the pharmacy computer system until the patient's allergy information has been entered.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
The clinical purpose of each prescription is determined before the medication is dispensed to ensure the prescribed therapy is appropriate for the patient's condition.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
A standard process is followed to help ensure that medications are being dispensed to the proper patient (e.g., verifying patient's name, address, date of birth, etc.).	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
The pharmacy uses tools or resources to communicate with patients who are visually or hearing impaired.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Pharmacy computers that are used for order entry allow easy access to reputable resources for drug and disease information (e.g., Facts and Comparisons, Micromedex, Lexicomp).	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
The computer system automatically performs adult and pediatric dose range checks and warns pharmacists about improper dosing for medications.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
The computer system warns pharmacists about clinically significant drug interactions.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
The computer system automatically screens for and detects potential drug allergies.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
A pharmacist is required to review all clinically significant computer alerts pertaining to dosing, interactions, and contraindications.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Pharmacy staff tests the computer system as least twice per year to assure that maximum dose alerts are present for high-alert and narrow therapeutic index drugs. When alerts are not present, measures are taken to add them to the system.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
An updated interactive database for the pharmacy computer system is received from a drug information vendor and uploaded to the system at least quarterly.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
The pharmacy computer system warns staff when a new drug has been entered for which there is no screening information available.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
The variety of manufacturers from which generic drugs are purchased is minimized to the fullest extent possible.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
When new drugs with heightened error potential are identified, safety enhancements (e.g., alert labels, tall-man lettering, reminders, sequestered storage, etc.) are established.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
The pharmacy is able to receive electronic prescriptions from the prescriber's office to a pharmacy computer in a standard format.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
The format of electronic prescriptions received by the pharmacy is similar to the way paper prescriptions are organized and entered into the system.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
If a prescription is received on paper, scanning and prescription imaging is used in the dispensing process to show the original prescription on the computer screen.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
The pharmacy has created a list of drugs (e.g., controlled substances, certain high-alert drugs) for which telephone or electronic prescriptions cannot be accepted from the prescriber's office staff.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Telephone or voice mail prescription orders are received directly by a pharmacist and written down immediately on a prescription blank (not scrap paper, which requires an additional transcription step).	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
When telephone orders must be taken, the pharmacist receiving the order repeats it back to the prescriber for verification.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
The pharmacist who has resolved an issue with an unclear or incorrect prescription clearly communicates the resolution to other pharmacy staff by writing an informative note on the patient's profile or prescription order.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Special alerts are built into the computer program to remind pharmacy staff about problematic or look-alike drug names, packaging, or labeling.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Auxiliary warnings, labels with exaggerated fonts, or other label enhancements are used on packages and storage bins for drugs with problematic names, packages, or labels.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
When drugs have the same name but different routes of administration (e.g., ophthalmic vs. otic), steps are taken (e.g., auxiliary labels, different storage locations, different manufacturers, notation in computer system) to prevent dispensing errors.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Products with known look-alike drug names are stored separately and not alphabetically, or are otherwise clearly differentiated from one another.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
The pharmacy uses appropriate foreign language labels for patients who need them.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
The pharmacy computer system automatically prints appropriate auxiliary labels (e.g., for the eye, take with food, may cause drowsiness) when prescription labels are generated AND the pharmacist reviews these for appropriateness for each patient.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Prescription Filling and Compounding	N/A	NI	PI	FI
There is an efficient and timely process in place to obtain critically needed medications when they are not immediately available in the pharmacy stock.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
A mechanism exists to identify the reasons that a prescription has not been picked up after being prepared.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Records are available to identify patients receiving a drug that is recalled by the manufacturer and patients are notified as appropriate.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Medications are rotated in the "fast mover" area(s) to reduce the risk of error due to familiarity with placement on shelves.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
When checking in the shipment, staff ensures that wholesaler price labels do not interfere with critical drug information on the manufacturers' labels.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
If a manufacturer's stock bottle is to be dispensed to a patient, the pharmacist checks that the original seal is still intact.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
When refilling a prescription with a medication from a different manufacturer, a system is in place to notify patients of the change in appearance of the drug product.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
To guide selection of the proper drug, a computer graphic appears on the screen with each prescription to show the appearance of the product.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
An automated dispensing system that incorporates robotics and/or bar code verification is used to support the dispensing system in the pharmacy.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
If electronic counting machines are used during the filling process, they are routinely cleaned and calibrated for accuracy.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
If completed prescriptions are not ultimately dispensed to patients, the medications are returned to stock in a consistent manner that reduces risk of an error (e.g., maintained on the shelf in the original prescription vial with drug, dose, and expiration date highlighted and specific patient information redacted).	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
An appropriately secured area of the pharmacy has been established to temporarily place discontinued, outdated, or recalled medications until they are destroyed or removed from the pharmacy in a timely fashion.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Staff members use gloves or proper hand washing when handling individual loose oral solid products (e.g., capsules, tablets).	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Staff members use appropriate hand washing procedures or gloves prior to compounding any prescription products.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Dispensing devices (e.g., counting trays, spatulas, mortar and pestle) are washed after being used to prepare chemotherapy, penicillin, sulfonamide, opiate, or NSAID prescriptions.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Only clean (washed) measuring devices are used for compounding liquids, ointments, and capsules.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Pharmacy Environment and Workload	N/A	NI	PI	FI
To meet their needs, pharmacy personnel are able to adjust the sound and lighting at specific points in the prescription filling and dispensing area(s).	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Temperature and humidity are comfortable for workers AND conform to drug storage requirements.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Areas where drug orders are transcribed and/or entered into computer systems are isolated and relatively free of distractions, noises, and unnecessary chatter.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
The physical layout of the pharmacy is designed to minimize distractions for pharmacists during the final check in the prescription verification process.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Workspaces where medications are prepared are clean, orderly, and free of clutter.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
When filling multiple prescriptions for one patient, dividers, baskets, or other means are used to ensure that prescriptions for other patients are not inadvertently mixed together.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Medication refrigerators are used only for medical product storage and are of sufficient size to allow all drugs to be refrigerated in an organized manner.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

APPE Rotation Activity Assessment Forms

Criteria have been established (e.g., targeted high-alert drugs, high-risk patient populations, new therapies) to trigger required medication counseling and a system is in place to alert the pharmacist of this need when a patient picks up the prescription (e.g., alert or sticker on bag).	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
When counseling is provided, the patient's prescription product is shown to the patient to verify the medication dispensed.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
When dispensing oral liquid medications, a proper measuring device is provided or suggested AND instructions regarding its use are communicated.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Doses that require splitting tablets are dispensed only to patients who have demonstrated their ability to split the tablet.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Patients are instructed on the proper use and maintenance of devices dispensed from the pharmacy (e.g., glucometers, humidifiers, spacers).	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
If someone other than the patient or caregiver picks up the prescription, a reasonable effort is made to communicate directly with the patient to provide counseling.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
The pharmacy offer medication therapy management (MTM) services, whereby eligible patients receive annual comprehensive medication reviews.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Based on the assessment, provide three recommendations for the pharmacy to improve patient and medication safety:

- 1)
- 2)
- 3)

Checklist for Safe Vaccine Storage Checklist Form

Access form at: www.immunize.org/catg.d/p3035.pdf

Checklist for Safe Vaccine Storage and Handling

*Are you doing everything you should to safeguard your vaccine supply?
Review this list to see where you might make improvements in your vaccine management practices. Check each listed item with either **YES** or **NO**.*

Establish Storage and Handling Policies

- ☐ YES ☐ NO 1. We have designated a primary vaccine coordinator and at least one alternate coordinator to be in charge of vaccine storage and handling at our facility.
- ☐ YES ☐ NO 2. Both the primary and alternate vaccine coordinator(s) have completely reviewed either CDC's Vaccine Storage & Handling Toolkit (www.cdc.gov/vaccines/recs/storage/toolkit/storage-handling-toolkit.pdf) or equivalent training materials offered by our state or local health department's immunization program.
- ☐ YES ☐ NO 3. We have detailed, up-to-date, written policies for general vaccine management, including policies for routine activities and an emergency vaccine retrieval and storage plan for power outages and other problems. Our policies are based on CDC's Vaccine Storage & Handling Toolkit and/or on instruction from our state or local health department's immunization program.
- ☐ YES ☐ NO 4. We review these policies with all staff annually and with new staff, including temporary staff, when they are hired.

Log In New Vaccine Shipments

- ☐ YES ☐ NO 5. We maintain a vaccine inventory log that we use to document the following:
- ☐ YES ☐ NO a. Vaccine name and number of doses received
- ☐ YES ☐ NO b. Date we received the vaccine
- ☐ YES ☐ NO c. Condition of vaccine when we received it
- ☐ YES ☐ NO d. Vaccine manufacturer and lot number
- ☐ YES ☐ NO e. Vaccine expiration date

Use Proper Storage Equipment

- ☐ YES ☐ NO 6. We store vaccines in separate, self-contained units that refrigerate or freeze only. If we must use a household-style combination unit, we use it only for storage of our refrigerated vaccines, maintaining frozen vaccines in a separate stand-alone freezer.
- ☐ YES ☐ NO 7. We store vaccines in units with enough room to maintain the year's largest inventory without crowding.
- ☐ YES ☐ NO 8. We never store any vaccines in a dormitory-style unit (a small combination freezer-refrigerator unit with the freezer compartment inside the refrigerator).
- ☐ YES ☐ NO 9. We use only calibrated thermometers that have a Certificate of Traceability and Calibration Testing* ("Report of Calibration") and are calibrated every 1 to 2 years from the last calibration testing date or according to the manufacturer's suggested timeline.
- ☐ YES ☐ NO 10. We have planned back-up storage unit(s) in the event of a power failure or other unforeseen event.

*Certificate of Traceability and Calibration Testing ("Report of Calibration") with calibration measurements traceable to a laboratory with accreditation from the International Laboratory Accreditation Cooperation (ILAC) Mutual Recognition Arrangement (MRA) signatory body.

continued on page 2 ►

Checklist for Safe Vaccine Storage and Handling (continued)

page 2 of 3

Ensure Optimal Operation of Storage Units

- ☐ YES ☐ NO 11. We have a "Do Not Unplug" sign (e.g., www.immunize.org/catg.d/p2090.pdf) next to the electrical outlets for the refrigerator and freezer and a "Do Not Stop Power" warning label (e.g., www.immunize.org/catg.d/p2091.pdf) by the circuit breaker for the electrical outlets. Both signs include emergency contact information.
- ☐ YES ☐ NO 12. We perform regular maintenance on our vaccine storage units to assure optimal functioning. For example, we keep the units clean, dusting the coils and cleaning beneath the units every 3–6 months.

Maintain Correct Temperatures

- ☐ YES ☐ NO 13. We always keep at least one accurate calibrated thermometer (+/-1°F [+/-0.5°C]) with the vaccines in the refrigerator and a separate calibrated thermometer with the vaccines in the freezer.
- ☐ YES ☐ NO 14. We use a thermometer that
- ☐ YES ☐ NO a. uses an active display to provide continuous monitoring information
 - ☐ YES ☐ NO b. is digital and has a probe in a glycol-filled bottle
 - ☐ YES ☐ NO c. includes an alarm for out-of-range temperatures
 - ☐ YES ☐ NO d. has a resettable (automatic or manual) min/max display (applies only to thermometers that have a data logger)
 - ☐ YES ☐ NO e. is capable of showing the current temperature, as well as minimum and maximum temperatures
 - ☐ YES ☐ NO f. can measure temperatures within +/-1°F (+/-0.5°C)
 - ☐ YES ☐ NO g. has a low-battery indicator
- ☐ YES ☐ NO 15. We maintain the refrigerator temperature at 35–46°F (2–8°C), and we aim for 40°F (5°C).
- ☐ YES ☐ NO 16. We maintain the freezer at an average temperature of +5°F (-15°C) or colder, but no colder than -58°F (-50°C).
- ☐ YES ☐ NO 17. We keep extra containers of water in the refrigerator (e.g., in the door and/or on the floor of the unit where the vegetable bins were located) to help maintain cool temperatures. We keep ice packs or ice-filled containers in the freezer to help maintain cold temperatures.

Maintain Daily Temperature Logs

- ☐ YES ☐ NO 18. On days when our practice is open, we visually inspect the vaccine storage unit twice a day (first thing in the morning and right before our facility closes) and document refrigerator and freezer temperatures on the appropriate log. (See selections at www.immunize.org/clinic/storage-handling.asp.)
- ☐ YES ☐ NO 19. We document the minimum and maximum temperature readings in the refrigerator and freezer once each day, preferably in the morning.
- ☐ YES ☐ NO 20. We consistently record temperatures on the log either in Fahrenheit or Celsius. We never mix temperature scales when we record our temperatures.
- ☐ YES ☐ NO 21. If the temperature log prompts us to insert an "x" by the temperature that's preprinted on the form, we do not attempt to write in the actual temperature.
- ☐ YES ☐ NO 22. We follow the directions on the temperature log to call appropriate personnel if the temperature in a storage unit goes out of range.
- ☐ YES ☐ NO 23. If out-of-range temperatures occur in the unit, we complete the Vaccine Storage Troubleshooting Record (www.immunize.org/catg.d/p3041.pdf) to document actions taken when the problem was discovered and what was done to prevent a recurrence of the problem.
- ☐ YES ☐ NO 24. Trained staff (other than staff designated to record the temperatures) review the temperature logs weekly.
- ☐ YES ☐ NO 25. We keep the temperature logs on file for at least 3 years.

continued on page 3 ►

Technical content reviewed by the Centers for Disease Control and Prevention

IMMUNIZATION ACTION COALITION Saint Paul, Minnesota • 651-647-9009 • www.immunize.org • www.vaccineinformation.orgwww.immunize.org/catg.d/p3035.pdf • Item #P3035 (12/14)

Checklist for Safe Vaccine Storage and Handling (continued)

page 3 of 3

Store Vaccines Correctly

- ☐ YES ☐ NO 26. We post signs (e.g., www.immunize.org/catg.d/p3048.pdf) on the doors of the refrigerator and freezer that indicate which vaccines should be stored in the refrigerator and which in the freezer.
- ☐ YES ☐ NO 27. We do not store any food or drink in any vaccine storage unit.
- ☐ YES ☐ NO 28. We store vaccines in the middle of the refrigerator or freezer (away from walls and vents), leaving room for air to circulate around the vaccine. We never store vaccine in the doors.
- ☐ YES ☐ NO 29. We have removed all vegetable and deli bins from the storage unit, and we do not store vaccines in these empty areas.
- ☐ YES ☐ NO 30. If we must use a combination refrigerator-freezer unit, we store vaccines only in the refrigerator section of the unit. We do not place vaccines in front of the cold-air outlet that leads from the freezer to the refrigerator (often near the top shelf). In general, we try to avoid storing vaccines on the top shelf, and we place water bottles in this location.
- ☐ YES ☐ NO 31. We check vaccine expiration dates and rotate our supply of each type of vaccine so that vaccines with the shortest expiration dates are located close to the front of the storage unit, facilitating easy access.
- ☐ YES ☐ NO 32. We store vaccines in their original packaging in clearly labeled uncovered containers.

Take Emergency Action As Needed

- ☐ YES ☐ NO 33. In the event that vaccines are exposed to improper storage conditions, we take the following steps:
- ☐ YES ☐ NO a. We restore proper storage conditions as quickly as possible. If necessary, we label the vaccine "Do Not Use" and move it to a unit where it can be stored under proper conditions. We do not discard the vaccine before discussing the circumstances with our state/local health department and/or the appropriate vaccine manufacturers.
- ☐ YES ☐ NO b. We follow the Vaccine Storage Troubleshooting Record's (www.immunize.org/catg.d/p3041.pdf) instructions for taking appropriate action and documenting the event. This includes recording details such as the length of time the vaccine was out of appropriate storage temperatures and the current room temperature, as well as taking an inventory of affected vaccines.
- ☐ YES ☐ NO c. We contact our clinic supervisor or other appropriate clinic staff to report the incident. We contact our state/local health department and/or the appropriate vaccine manufacturers for consultation about whether the exposed vaccine can still be used.
- ☐ YES ☐ NO d. We address the storage unit's mechanical or electrical problems according to guidance from the unit's manufacturer or a qualified repair service.
- ☐ YES ☐ NO e. In responding to improper storage conditions, we do not make frequent or large changes in thermostat settings. After changing the setting, we give the unit at least a day to stabilize its temperature.
- ☐ YES ☐ NO f. We do not use exposed vaccines until our state/local health department's immunization program or the vaccine manufacturer has confirmed that the vaccine is acceptable for use. We review this information with our clinic medical director before returning the vaccine to our supply. If the vaccine is not acceptable for use, we follow our state/local health department instructions for vaccine disposition.

If we answer ☐ YES to all of the above, we give ourselves a pat on the back! If not, we assign someone to implement needed changes!

Patient Counseling Assessment Form

Student Name: _____ Date: _____

Evaluator Name: _____

Evaluator Role: Role: ☐ Preceptor ☐ Faculty ☐ Student ☐ Resident**Medication dispensed:** _____**CONSULTATION:**Which of the following did the student pharmacist discuss with the patient? *Check all that apply.*

- ☐ Product/ingredient name and intended use
- ☐ Directions for use
- ☐ Adverse effects
- ☐ Drug interactions
- ☐ Duration of use
- ☐ Special precautions
- ☐ Proper storage
- ☐ Self-monitoring of effectiveness
- ☐ Expectations of treatment/When to contact health care provider
- ☐ Nonpharmacologic treatment options

Consultation Assessment (check one):

How well was the medication information communicated to the patient?

- ☐ Inadequate ☐ Needs Improvement ☐ Satisfactory ☐ Excellent

ASSESSMENT OF INTERACTION AND COMMUNICATION SKILLS: *Check all that apply.*

- ☐ Introduces self
- ☐ Verifies patient and correct prescription
- ☐ Maintained eye contact with the patient
- ☐ Asked open-ended questions when appropriate
- ☐ Clearly communicated information to patient
- ☐ Used terminology appropriate to the patient's level of understanding
- ☐ All important counseling points and key messages were covered
- ☐ Seemed friendly and empathetic
- ☐ Demonstrated an organized approach
- ☐ Gave patient an opportunity to ask questions
- ☐ Adequately assessed patient understanding

Communication Skills (check one):

Exceeds 90-100% <u>9- 11 items checked</u>	Meets 70-89% <u>8-10 items checked</u>	Does not Meet Less than 70% Less than 7 items checked
--	--	--

Feedback for the Student Pharmacist:

Physical Assessment Evaluation Form

Student Name: _____ Date: _____

Evaluator Name: _____

Evaluator Role: Role: ☐ Preceptor ☐ Faculty ☐ Student ☐ Resident

Blood pressure (BP)	
Pulse (heart rate)	
Respiratory rate	

Instructions for preceptor: Place a ✓ if done properly

Properly position patient for accurate BP reading by assuring legs not crossed, sitting straight in chair, feet flat on the floor, arm at heart level, and resting for 5 minutes (when appropriate)	<input type="checkbox"/>
Selects cuff of appropriate size for patient by assuring that the bladder length approximates as close to 80% of the arm circumference as possible (does not rely solely on cuff markings)	<input type="checkbox"/>
Places cuff in proper position by placing the lower edge of cuff 1 inch above the elbow crease and positioning the center of the bladder over the brachial artery	<input type="checkbox"/>
Determines point of maximal inflation via inflation of cuff with palpation of the radial pulse	<input type="checkbox"/>
Avoids tucking the stethoscope under the blood pressure cuff	<input type="checkbox"/>
Inflates cuff to the proper level (i.e. 20-30 mmHg above the observed point of maximal inflation)	<input type="checkbox"/>
Appropriately deflates cuff by maintaining constant rate of deflation of 2 – 3 mmHg per second and listening until 10mmHg below level of diastolic reading	<input type="checkbox"/>
Measures systolic blood pressure (i.e., appearance of Korotkoff 1)	<input type="checkbox"/>
Measures diastolic blood pressure (i.e., Korotkoff 5 or silence)	<input type="checkbox"/>
Assesses pulse	<input type="checkbox"/>
Assesses respiratory rate (without making it known to the patient that it is being assessed)	<input type="checkbox"/>
Accurately documents findings using proper medical terminology (i.e., for blood pressure, only even numbers, indicates position and arm)	<input type="checkbox"/>
Provides patient with a record of the readings	<input type="checkbox"/>
Explains results to the patient	<input type="checkbox"/>

What can be done to improve technique?

☐ Exceeds
90-100%
9- 11 items checked
☐ Meets
70-89%
8-10 items checked
☐ Does not Meet
Less than 70%
 Less than 7 items checked

SOAP Note Assessment Form

SOAP Note Assessment Form			
Student Name	Evaluator Name	Date	
Overall Assessment:	Yes	No	N/A
Note is dated. – 1 point			
Author of note identified. – 1 point			
Chief complaint or reason for encounter listed. – 1 point			
PMH, complete medication list, AND basic demographics included (ALL must be present). – 1 point			
Information in Subjective belongs in the subjective section. – 1 point			
Information in Objective belongs in the objective section. – 1 point			
Information in Assessment belongs in the assessment section. – 1 point			
Information in Plan and Follow-Up belongs in the plan and follow-up section. – 1 point			
Information presented is restricted to what is relevant to the diseases or problems addressed below. – 1 point			
Total Points (1 point for each "Yes" or "N/A")			

Disease or Issue (Drug Therapy Problem) Addressed:	Yes	No	N/A
Subjective section presents all supportive information relevant to this disease or issue – 1 point			
Objective section presents all supportive information relevant to this disease or issue – 1 point			
Assessment is based on the subjective and objective information – 1 point			
Assessment contains sufficient detail to support the hypothesis – 1 point			
Assessment is therapeutically accurate – 3 points			
Plan is therapeutically accurate – 3 points			
Follow-up is therapeutically accurate – 3 points			
Plan and follow-up completely address the issue or problem – 1 point			
Total Points (full points earned for each "Yes" or "N/A")			

Disease or Issue (Drug Therapy Problem) Addressed:	Yes	No	N/A
Subjective section presents all supportive information relevant to this disease or issue – 1 point			
Objective section presents all supportive information relevant to this disease or issue – 1 point			
Assessment is based on the subjective and objective information – 1 point			
Assessment contains sufficient detail to support the hypothesis – 1 point			
Assessment is therapeutically accurate – 3 points			
Plan is therapeutically accurate – 3 points			
Follow-up is therapeutically accurate – 3 points			
Plan and follow-up completely address the issue or problem – 1 point			
Total Points (full points earned for each "Yes" or "N/A")			

Disease or Issue (Drug Therapy Problem) Addressed:	Yes	No	N/A
Subjective section presents all supportive information relevant to this disease or issue – 1 point			
Objective section presents all supportive information relevant to this disease or issue – 1 point			
Assessment is based on the subjective and objective information – 1 point			
Assessment contains sufficient detail to support the hypothesis – 1 point			
Assessment is therapeutically accurate – 3 points			
Plan is therapeutically accurate – 3 points			
Follow-up is therapeutically accurate – 3 points			
Plan and follow-up completely address the issue or problem – 1 point			
Total Points (full points earned for each "Yes" or "N/A")			

Comments:

Total Points Earned/Total Points Available: ____/____ 51

Adapted from: Fravel MA, Starry MJ, Reist JC. Multi-Focus SOAP Note Writing: Independent Video Activity – Hypertriglyceridemia and Gout Active Learning Exercises. In the American Pharmacist Association Pharmacy Library. The University of Iowa College of Pharmacy, Department of Pharmacy Practice and Science, American Pharmacist's Association Washington DC © 2013
<http://www.pharmacylibrary.com.ezproxy.rosalindfranklin.edu/2048/activelearning/content.aspx?aid=718622> Accessed on May 20, 2015.

☐ Exceeds
90-100%
45-51 points

☐ Meets
70-89%
35-44 points

☐ Does not Meet
Less than 70%
35 points

New Drug Update Evaluation Form

Student Pharmacist Name: _____ Date: _____

Evaluator Name: _____

Evaluator Role: Role: ☐ Preceptor ☐ Faculty ☐ Student ☐ Resident**Content** / 30 points

Presentation well balanced and addresses each of the following items of information (10)

- ☐ brand/generic name
- ☐ manufacturer
- ☐ therapeutic category and MOA
- ☐ indications(s)
- ☐ contraindications / precautions
- ☐ dosage forms
- ☐ recommended dosing
- ☐ drug interactions
- ☐ adverse effects
- ☐ patient counseling
- ☐ other significant information, e.g. therapeutic or cost advantages over similar drugs

Material well organized / logically sequenced (5) _____

Presenter demonstrates good understanding of subject matter (5) _____

Appropriate references and primary literature reviewed and used to support recommendations for use of the drug (1

Delivery Style / 10 points

Information delivered clearly and concisely, presentation delivered in a poised and professional manner (2 points each)

- ☐ Language and complexity appropriate to audience _____
- ☐ Clear enunciation and voice tone _____
- ☐ Comfortable pace/efficient use of time _____
- ☐ Good eye contact, no distracting gestures/mannerisms _____
- ☐ Good audience interaction (e.g., encourages participation, responds to questions) _____

Presentation Media / Handouts / 10 points

Clear, well organized, readable, visually appealing, and provide useful information (2 points each)

- ☐ Readable _____
- ☐ Visually appealing (color / layout) _____
- ☐ Well organized _____
- ☐ Contains essential information / provides useful future reference value _____
- ☐ Appropriately referenced _____

Additional Comments:
☐ Exceeds
90-100%
45-50 points

☐ Meets
70-89%
35-44 points

☐ Does not Meet
Less than 70%
35 points

Total ____/50

Primary Literature Review Evaluation Form

Student Name: _____ Date: _____

Evaluator Name: _____

Evaluator Role: Role: ☐ Preceptor ☐ Faculty ☐ Student ☐ Resident

Article Critiqued _____

Content _____ / 20 points

The following components are included in the summary (4):

- **Article title, author(s), journal title (from a peer-reviewed research/study article)**
- Introduction (What is the problem? Is it significant?)
- Study Objective
- Study Design
- Study Methods
- Statistical Evaluation
- Results
- Conclusions

Material well organized / logically sequenced (2)

Presenter demonstrates good understanding of subject matter (3)

Student responded to all questions (2)

Answers to questions demonstrated understanding of material (3)

Student can correlate other knowledge to article information (3)

Student can extrapolate article information to other situations (3)

Article Critique _____ / 20 points

The following components are critiqued (2 points each):

Questions the presenter should have considered:

- | | |
|---|--|
| <input type="checkbox"/> Study design
<input type="checkbox"/> Sample size and inclusion/exclusion criteria
<input type="checkbox"/> Statistical use
<input type="checkbox"/> Outcome measures
<input type="checkbox"/> Reproducibility
<input type="checkbox"/> Variables/bias
<input type="checkbox"/> Statistical/clinical significance
<input type="checkbox"/> Interpretation of results
<input type="checkbox"/> Extrapolation of results
<input type="checkbox"/> Application to practice | <ul style="list-style-type: none"> • Is the problem stated clearly? • Is there an appropriate review of the literature? • Are the hypotheses stated clearly? • Is the method/procedure to address the problem clearly described? • Are the statistical techniques appropriate? • What may be some probable sources of error with the study design or analysis? • Are the results and conclusions presented clearly? • Are the authors' comments justified by the results? • What are the limitations of the study? Are they stated? • What is the statistical and/or clinical significance of the study results? |
|---|--|

Delivery Style and Presentation Media _____ / 10 pointsPresentation is well organized and \leq 30 minutes (2)

Delivery of information is clear and concise (2)

Verbal presentation: clear enunciation with sufficient volume (2)

Presentation delivered in a poised/professional manner (3)

- Good eye contact
- Comfortable pace
- Devoid of distracting gestures/mannerisms

Handout is organized and neat with minimal grammatical/spelling errors (1)

☐ **Exceeds**
90-100%
45-50 points
☐ **Meets**
70-89%
35-44 points
☐ **Does not Meet**
Less than 70%
35 points

Total: _____ / 50

Patient Case Discussion Evaluation Form- INFORMAL

Patient Case Evaluation Form INFORMAL

Patient Discussion Assessment Form

Student Name: _____ Date: _____

Evaluator Name: _____

Evaluator Role: Role: ☐ Preceptor ☐ Faculty ☐ Student ☐ Resident

Use the following form to provide feedback to student on the review a patient's medical chart.

Student may practice discussing a patient with a resident, pharmacist, and/or health care provider and give feedback to student.

Note- A formal presentation not required, e.g. no Power Point or formal write-up):

Recommended components for student to gather and write:**1. Patient Discussion**

- ☐ Chief complaint (why patient came to the hospital)
- ☐ History of present illness
- ☐ Past medical history
- ☐ Medications on admission
- ☐ Drug allergies
- ☐ Family/social history (if relevant)
- ☐ Physical exam and review of systems
- ☐ Problem list (assessment and plan)
- ☐ Hospital Course
- ☐ Baseline labs and pertinent labs throughout hospital course (labs which should be monitored based on patient's disease state(s) and medications)
- ☐ Review hospital course (summarize days on which important therapeutic interventions were made, changes in patient status occurred)
- ☐ Include patient's drug therapy throughout their course and be able to discuss side
- ☐ Effects, drug interactions, and pertinent labs associated with this therapy.

Communication Skills (check one):☐ Not acceptable

(Less than 7 checked items)

☐ Acceptable

(7-12 checked items)

☐ Outstanding

(All 13 items checked)

Feedback for the Student Pharmacist:**Optional components for preceptor discussion time permitting:****2. Review and discuss disease state related to patient**

- ☐ Epidemiology of the disease
- ☐ Etiology of the disease
- ☐ Pathophysiology of the disease
- ☐ Clinical presentation
- ☐ Diagnosis
- ☐ Treatment guidelines and alternatives
- ☐ Discussion of treatment options, including drugs of choice, alternatives, monitoring, and side effects.

3. Review and discuss patient's therapy and monitoring

- ☐ Comparison with "classic patient"
- ☐ Critique of drug therapy
- ☐ Discussion of efficacy parameters
- ☐ Monitoring of adverse effects

All references should follow the Uniform Requirements as described in New England Journal of Medicine (N Engl J Med 1997;336:309-315).

☐ Exceeds Expectations
 90-100%
 22-24 items checked

☐ Meets Expectations
 70-89%
 16-21 items checked

☐ Does not Meet Expectations
 Less than 70%
 Less than 16 items checked

Patient Health Fair Event Form

Activity: For each screening event, describe the services provided

Event Location	Date of Event	Type & # of Patients Services Were Provided

Describe your role